

9500 PATIO DOOR PERFORMANCE TABLE

| Model | Style | VT | Metric U- Factor W/m ² .k | Imperial U factor Btu/h ft ² F | Imperial R Value | SHGC | ER | Canada (Yes/No) | US Zones | NAF TEST RESULTS MAXIMUM SIZE TESTED |
|-------------------------------------|------------|------|--|---|---------------------|------|----|--------------------|--------------|---|
| 9500 Series (All Vinyl Door) | | | | | | | | | | |
| SOLR_GAIN | Patio Door | 0.63 | 1.65 | 0.29 | 3.45 | 0.57 | 36 | Y | N, NC | R-PG55-SD, Size Tested (71.5 x 79.5) |
| SOLR_GAIN_GRIDS | Patio Door | 0.56 | 1.65 | 0.29 | 3.45 | 0.50 | 32 | | N, NC | R-PG55-SD, Size Tested (71.5 x 79.5) |
| EVOLV | Patio Door | 0.62 | 1.36 | 0.24 | 4.18 | 0.52 | 40 | Y | | R-PG55-SD, Size Tested (71.5 x 79.5) |
| EVOLV_GRIDS | Patio Door | 0.54 | 1.36 | 0.24 | 4.18 | 0.46 | 36 | Y | | R-PG55-SD, Size Tested (71.5 x 79.5) |
| BLIND_CLEAR | Patio Door | 0.61 | 1.99 | 0.35 | 2.86 | 0.53 | 27 | | | R-PG55-SD, Size Tested (71.5 x 79.5) |
| SOLR_SHIELD | Patio Door | 0.57 | 1.59 | 0.28 | 3.55 | 0.40 | 28 | | N, NC | R-PG55-SD, Size Tested (71.5 x 79.5) |
| SOLR_SHIELD_GRIDS | Patio Door | 0.50 | 1.59 | 0.28 | 3.55 | 0.36 | 26 | | N, NC | R-PG55-SD, Size Tested (71.5 x 79.5) |
| EVOLV_SHIELD | Patio Door | 0.56 | 1.31 | 0.23 | 4.27 | 0.33 | 30 | | N, NC | R-PG55-SD, Size Tested (71.5 x 79.5) |
| EVOLV_SHIELD_GRIDS | Patio Door | 0.49 | 1.31 | 0.23 | 4.27 | 0.29 | 28 | | N, NC | R-PG55-SD, Size Tested (71.5 x 79.5) |
| LOWE366_CLEAR | Patio Door | 0.52 | 1.59 | 0.28 | 3.57 | 0.22 | 18 | | N, NC, S, SC | R-PG55-SD, Size Tested (71.5 x 79.5) |
| LOWE366_CLEAR_GRIDS | Patio Door | 0.45 | 1.59 | 0.28 | 3.63 | 0.20 | 16 | | N, NC, S, SC | R-PG55-SD, Size Tested (71.5 x 79.5) |
| CLEAR | Patio Door | 0.66 | 2.5 | 0.44 | 2.29 | 0.62 | 21 | | | R-PG55-SD, Size Tested (71.5 x 79.5) |
| CLEAR_GRIDS | Patio Door | 0.58 | 2.5 | 0.44 | 2.29 | 0.55 | 17 | | | R-PG55-SD, Size Tested (71.5 x 79.5) |